



Safety Data Sheet

Issue date 19-May-2014

Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name SPRAYPAK FOAMING CLEANER
Chemical name 7-7787-3

Other means of identification

Product code FG 433-4103-5
Synonyms Disinfectant and cleaner
Registration number(s) 498-62

Recommended use of the chemical and restrictions on use

Recommended Use To clean and deodorize all hard, nonporous washable household surfaces such as bathtubs, sinks, toilet bowl seats, etc.

Uses advised against Do not use as a glass cleaner.

Details of the supplier of the safety data sheet

Supplier Address	Manufacturer Address
Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121	Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Acute toxicity - Oral	This is an aerosol product, ingestion is unlikely to occur.
Acute toxicity - Dermal	May cause skin irritation after prolonged contact with skin.
Acute toxicity - Inhalation (Dusts/Mists)	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.
Skin corrosion/irritation	May cause skin irritation after prolonged contact with skin.
Serious eye damage/eye irritation	Can cause irritation after contact with the eyes.
carcinogenicity	Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.
Reproductive Toxicity	Not known

Label Elements

EMERGENCY OVERVIEW

FG 433-4103-5 SPRAYPAK FOAMING CLEANER

appearance White foam

Physical State Aerosol

Odor Lemon

Precautionary Statements - Prevention

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Avoid getting spray into eyes. Keep out of reach of children.

Precautionary Statements - Storage

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

No information available

3. Composition/information on Ingredients

Synonyms

Disinfectant and cleaner.

Chemical Family

MIXTURES.

Formula

7-7787-3

Chemical nature

Aqueous solution of active ingredients, surfactants and cleaners.

Chemical name	CAS No	weight-%	Trade secret
N-Butane	106-97-8	1-5	*
Trisodium Phosphate Crystals	10101-89-0	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

inhalation

If overcome by vapor, move person to fresh air.

INGESTION

Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms

Irritating to the eyes on contact. May cause stinging, redness and swelling of the eyes. May cause mild irritation. Prolonged and repeated contact may cause redness, burning, drying and cracking of the skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may result on skin absorption of potentially harmful amounts.

Indication of any immediate medical attention and special treatment needed

Note to physicians

None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 120 F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

OTHER INFORMATION

Keep out of reach of children.

Environmental Precautions

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling

Avoid contact with eyes. Avoid prolonged contact with the skin. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures. **AEROSOL STORAGE LEVEL I (NFPA-30B)**.

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

FG 433-4103-5 SPRAYPAK FOAMING CLEANER

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves.

Respiratory protection Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow label directions for correct use of the product..

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State	Aerosol	Odor	Lemon
appearance	White foam		
color	white		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	10.66 to 11.66	
Melting point/freezing point	NA	
Boiling point/boiling range	212 °F/100 °C	
Flash Point	Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 F may cause cans to burst.	
Evaporation Rate	Faster than butyl acetate	
flammability (solid, gas)		
Flammability Limits in Air		
Upper flammability limits	Not available	
Lower Flammability Limit	Not available	
vapor pressure	Not available	
Specific gravity	1.005 +/- 0.005 concentrate	
Water solubility	completely soluble	

OTHER INFORMATION

VOC content (%)	6.92%
density	
Bulk Density	8.37 Lb/gal

10. Stability and Reactivity

FG 433-4103-5 SPRAYPAK FOAMING CLEANER

Reactivity

Not applicable no data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 120 F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 120 F.

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information

This product has not been tested as whole. See below for information on ingredients.

inhalation

See data below.

Eye Contact

no data available.

Skin contact

no data available.

INGESTION

This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
N-Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Trisodium Phosphate Crystals 10101-89-0	= 7400 mg/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may results on skin absorption of potentially harmful amounts.

sensitization

No information available.

Germ Cell Mutagenicity carcinogenicity

No information available.

Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

FG 433-4103-5 SPRAYPAK FOAMING CLEANER

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity No information available
The following values are calculated based on chapter 3.1 of the GHS document .
ATEmix (inhalation-gas) 10000000
ATEmix (inhalation-vapor) 16447.4 mg/l

12. Ecological Information

ecotoxicity

8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
N-Butane 106-97-8	2.89
2-Butoxyethanol 111-76-2	0.81
Propane 74-98-6	2.3

Other adverse effects

Ozone

No information available
This product does not contain CFCs or other ozone depleting substances. Federal regulations prohibit the use CFC propellants in aerosols.

13. Disposal Considerations

Waste treatment methods

Disposal of wastes

Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

14. Transport Information

DOT

UN/ID no

Proper Shipping Name

Hazard Class

Limited quantity (LQ)
UN1950
Foaming Disinfectant Cleaner
2.1

15. Regulatory information

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL

All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trisodium Phosphate Crystals 10101-89-0				X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trisodium Phosphate Crystals 10101-89-0	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
N-Butane 106-97-8	X	X	X

FG 433-4103-5 SPRAYPAK FOAMING CLEANER

Trisodium Phosphate Crystals 10101-89-0		X	X
2-Butoxyethanol 111-76-2	X	X	X
Propane 74-98-6	X	X	X

U.S. EPA Label information**EPA Pesticide registration number** 498-62**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Do not spray in eyes.

16. Other information

<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	Personal Protection B - Eyes and hands protection

Prepared by

Regulatory Department

Issue date

19-May-2014

Revision note**This SDS supersedes a previous MSDS dated August 05, 2008.****Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet